

# Talk **PRO**<sup>TM</sup>

# X-10

BY INDIA FOR INDIA

---

## ANALOG TWO-WAY RADIO



- Cost Effective
- Compact
- Squelch Levels
- Auto Power Save
- Low Battery Alert
- VOX

Talk PRO X-10 is a cost-effective analog two-way radio designed for the **Indian marketplace**. Delightfully small and compact, with a comprehensive analog feature kit that includes **Squelch Levels, Auto Power Save, Low Battery Alert, Monitor, BCL, TOT and CTCSS/CDCSS**, this walkie talkie is curated to deliver convenience and efficiency at a **budget friendly pricetag**.

# Talk **PRO**<sup>™</sup> X-10


## MAIN FEATURES



Auto Power Save



Squelch Levels



Digital & LCD  
Backlit Display



Low Battery Alert

000.000

CTCSS/CDCSS



Anti-Slip Design

MIL - STD - 810

Ingress Protection Class IP54

VOX (Voice Operated Switch)  
for handsfree operations

Water Resistant

Unconditional Replacement Warranty of 2 years

product close up pics



## General Features

- 446MHz License Free Band
- Requires Govt ETS Approval
- BIS Certification Battery
- 48 hours Talk Time
- Battery Life of Over 2 years
- Range of 2kms
- 1W Speaker for Loud Audio
- Easy Fit Radio Holster

## Recommended For

- Railways (General Purpose)
- Shops
- Constuction Sites
- Security Services
- Shop Floors
- Range of 2kms
- Spots, Events, Wedding Planners
- Videographers

## SPECIFICATIONS

# Talk *PRO* X-10

### General


Frequency Range	UHF:446-446.2MHz
Channel Capacity	16
Channel Spacing	25KHz/12.5KHz
Operating Temperature	-20°C~+60°C
Antenna Impedance	50Ω
Operating Voltage	DC 3.7V(±20%)
Battery Capacity	2600mAh(Li-ion)
Frequency Stability	≤ ± 2.5ppm
Dimensions	58(L)*33.5(W)*155(H)mm
Weight	141g(including battery pack)

### Transmitter

Power Output	≤ 2W
Modulation	11KøF3E/16KøF3E
Rated Audio Distortion	≤ 5%
Adjacent Power	60dB
Modulation Limitation	≤ 5KHz(Wide)/2.5KHz(Narrow)

### Receiver

Sensitivity	≤ -123dBm (12dB SINAD)
Adjacent Selectivity	≥ 60dB(Wide)/55dB(Narrow)
Intermodulation Rejection Ratio	≥ 60dB(Wide)/55dB(Narrow)
Spurious Suppression	≥ 60dB(Wide)/55dB(Narrow)
Rated Audio Output Power	0.5W
Rated Audio Distortion	≤5%



## ACCESSORIES

### Standard Accessories



Adaptor



USB Cable



Belt Clip



Battery



Hand Strap

### Optional Accessories



Earpiece



Programming Cable